


# 80 PLUS Verification and Testing Report



<b>TYPICAL EFFICIENCY (50% Load):</b>	<b>84.12%</b>
<b>AVERAGE EFFICIENCY :</b>	<b>84.17%</b>
<b>80 PLUS COMPLIANT:</b>	<b>YES</b>

<b>Ecos ID #</b>	712
<b>Manufacturer</b>	SUPERMICRO
<b>Model Number</b>	PWS-201-1H
<b>Serial Number</b>	NA
<b>Year</b>	2008
<b>Type</b>	EPS1U
<b>Test Date</b>	5/22/2008





Input AC Current Waveform (ITHD = 7.57%, 50% Load)

Rated Specifications	Value	Units
Input Voltage	100-240	Volts
Input Current	4	Amps
Input Frequency	50-60	Hz
<b>Rated Output Power</b>	<b>200</b>	<b>Watts</b>

Note: All measurements were taken with input voltage at 115 V nominal and 60 Hz.

I <sub>RMS</sub> A	PF	I <sub>THD</sub> (%)	Load (%)	Fraction of Load	Input Watts	DC Terminal Voltage (V)/ DC Load Current (A)				Output Watts	Efficiency %	
						12V (cumulative of 12V1, 12V2, etc.)	-12V	3.3V	5V*			5VSB
0.45	0.97	9.9%	20%	Light	50	12.4/2.3	12.1/0.1	3.3/1.4	5/1.4	5/0.4	43	85.42%
1.06	1.00	7.6%	50%	Typical	121	12.3/5.8	12.2/0.2	3.3/2.9	5/2.9	4.9/0.9	102	84.12%
2.12	1.00	1.5%	100%	Full	243	12.2/11.5	12.2/0.5	3.3/5.7	4.9/5.7	4.9/1.9	202	82.98%



These tests were conducted by a third party independent testing firm on behalf of the 80 PLUS® Program. 80 PLUS is a certification program to promote highly-efficient power supplies (greater than 80% efficiency in the active mode) in technology applications. <http://www.80plus.org/>



Tested by Electric Power Research Institute, Knoxville, TN.